




I'm not robot



[Continue](#)

Manual chevrolet classic 2014

1. The information and descriptions of the equipment provided in this manual shall be based on a vehicle fully equipped with the optional and accessories available on the date of publication indicated on the spine. Therefore, there may be inconsistencies between the information contained in this manual and the configuration of your vehicle with respect to electives and accessories and even not find any of the components mentioned in this manual in your vehicle. In the event of such inconsistencies, we will inform you that all dealers have a sales manual with information, illustrations and specifications in force at the time of production of the vehicle and that they are available for consultation to clarify any doubts. The invoice issued by the dealer identifies the components, electives and accessories that were originally installed in your vehicle. This invoice, together with the sales manual mentioned in the previous section, will be the documents to be taken into account with regard to the guarantee offered by General Motors de Argentina S.R.L. Brazil 0800-702-4200 Argentina 0800-555-11-15 Uruguay 0800-1115 Paraguay 0010 (reverse charge) 0054-11-478-81-115 Contact Center with GM Argentina Customers 0054-11-478-181-115 Contact Center with GM Argentina Customers 0800-888-2438 www.chevrolet.com.ar Brazil 0800-702-4200 www.chevrolet.com.br Uruguay 0800-24389 www.chevrolet.com.py Paraguay 009-800-542-0087 www.chevrolet.com.py verso_capa fm. Page 1 Tuesday, 26 March 2013 08:52 2. Full or partial reproduction or translation of the content of this guide is not permitted without the prior written permission of General Motors de Argentina S.R.L. All reports, illustrations and specifications in this guide correspond to the data that existed at the time of publication. We reserve the right to make changes at any time, both in the product and in the instructions, without prior notice. Proprietario MP Guide Global_primeira page esp.fm Page 1 Wednesday, September 21, 2011 11:34 AM 3. congratulacoes.fm Page 2 Thursday, March 14, 2013 4:58 PM 4. CONGRATULATIONS Corsa, 01/13 You just made an excellent choice when buying this Chevrolet Vehicle. This gives us a lot of satisfaction because you trust our work. Chevrolet vehicles are produced by the first assembler in South America to win the QS9000 3rd Edition Certification, complementing the previously captured ISO 9001 Certification. All these efforts exist to be offered the best in terms of comfort, safety, high technology and pleasure in driving a Chevrolet vehicle. The Chevrolet Corsa contains many components that are sure to meet your high demand, primarily in terms of performance and style. This guide has been developed to help you get to know your vehicle better, and so you can enjoy fully all the benefits and benefits that the equipment of your vehicle Corsa can offer you. Read carefully and find out how to handle it properly, how to make it work properly, and also the necessary care for the vehicle to have a very long lifespan. We recommend careful reading of the preventive maintenance plan in section 13 of this guide. Some instructions in this guide appear in highlights due to their great importance. Check out the numbers below: After reading this guide, we hope you enjoy all the benefits your Chevrolet Corsa has to offer. General Motors de Argentina S.R.L. Provides information on the risk of an accident with injuries, including fatalities. If such information is ignored, there may be a risk of injury of varying severity or death. Danger This symbol appears near the text and warns of the care necessary for the vehicle to perform well, or then to avoid damaging it. This symbol indicates a prohibited process that could cause personal injury or damage to the vehicle. This symbol appears near the text and warns of care to avoid injury. Felicitaciones.fm Page 1 Monday, March 25, 2013 5:36 PM 5. Felicitaciones.fm Page 2 Monday, March 25, 2013 5:36 PM 6. CORSA CONTENT, 03/10 Alphabetical Index Section 1 Illustrated Index Section 2 Services and Facilities Section 3 Optional Equipment 3.4 Environmental Protection 5 Control and Control Section 6 Seat Belt Section 7 Driving under adverse conditions section 8 In the case of the exception of § 9 Comfort and convenience § 11 Specifications section 12 Maintenance Services Section 13 contenido.fm Page 1 Monday, March 25, 2013 at contenido.fm Page 2 Monday, March 25, 2013 5:35 PM 8. ALPHABETIC INDEX Corsa, 01/13 1-SECTION 1 ABS (anti-lock braking system) 6-39 Accessories 13-1 Oil filter - change 13-2 Level inspection 13-2 Air conditioners 6-31 Operation of the system 6-32 Fuel additive in vehicles with Flexpower System - alcohol and gasoline (equipped) 13-6 Sound alarm of the lights (if equipped) 6-22 Generator Technical Data 12-3 Electric antenna on windshield 10-3 Seats Adjustment of seat height (driver) 6-15 Adjustment of the backrest 6-16 Main Support 6-15 Regulation of the front seats 6-14 Return of the backrest to normal position 6-17 Battery 9-10 Start with battery discharged 9-13 Starting the engine with bridge cables 9-14 Technical data 12-3 Connection/connection of Battery, 9-10 Prevention and care with electronic components 9-13 Recycle batteries 9-12 Trunk Opening of trunk cover 6-11 Extension of the trunk (if equipped) 6-15 Horns 13-7 Fuse Box 9-15 Oil Change Engine Oil 13-1 Oil filter - change 13-2 Level Inspection 13-2 Capacity of lubricants and liquids in general 12-9 Engine Hood 9-6 Body Technical Data 12-6 Catalyst 13-7 Ashtray 10-1 Chassis Transit Posters of the Year of Manufacture 12-1 Chassis Number Location 12-1 Seat belts 7-1 How to properly use the three-point retractable belt 7-2 How to use underhull abdominal seat belt (central rear seat) 7-2 Correct position of backrest 7-3 Three-point seat counting height adjustment 7-3 Proper use of the seat belt for pregnant women 7-3 Proper use of seat belts in underage children 7-4 Proper use of seat belts for older children 7-4 Independent hydraulic circuits 6-37 Fuel Filter Indicator of 13-2 Level 6-2 Filling 13-4 Gasoline vehicles 13-4 Serious terms of use 13-15 Driving under adverse conditions Driving in mud or sand 8-1 Driving in flooded sections 8-2 Driving at night 8-3 A B This index is designed to give you a quick consultation, and therefore the same point can occur more than once with different names. (Example: Outer rearview mirror found in the letter E can also appear in the letter R as outer mirror) C section_01.fm Page 1 Tuesday, March 26, 2013 8:42 AM 9. ALPHABET INDEX 2 Corsa, 01/13 SECTION 1 Driving in the rain 8-3 Driving under mist 8-5 If the vehicle Stuck 8-1 Seaplane 8-4 Procedure for unlocking the vehicle 10-1 Brake, throttle and clutch pedals 6-38 Electric elevators (Vehicles equipped with electric elevators on all doors) (if equipped) 6-18 Operation of electric elevators 6-19 Electronic glass programming 6-18 Hand-operated glass lifts 6-18 Hand-operated glass lifts 6-18 Automatic opening of the system 13-13 Roof rack 10-3 Slides on the center panel (if equipped) 12-5 Crique 9-1, 9-2 Crossover/ombra 6-39 Appearance Care 11-1 Extra care 11-3 Door cleaning 11-1 Interior cleaning 11-1 Vehicle Technical Data 12-3 Cold start petrol tank (vehicles with Flexpower system - alcohol and petrol) to be equipped 13-6 General dimensions of the vehicle 12-2 Hydraulic steering 13-8 Lifting the vehicle in the workshop 9-3 Exterior rearview mirrors 6-17 Safety device 6-17 Regulation of mirrors 6-17 Fog headlights 6-22 Headlight button 6-21 Low bulb 6-24 Oil Filter - Change 13-2 Air Filter 13-3 Fuel filter (petrol engine) 13-2 Liquid Capacity 12-9 Recommended, Inspections and Changes 12-10 Parking brake 6-36 Service Brake 6-36 Brakes 13-8 Independent hydraulic circuits 6-37 Technical data 12-9 Emergency braking 6-37 Brake fluid 13-9 Pickups 13-9 Fuses and Reles 9-15 Fuse Box 9-15 Capacity 9-16 Replacement 9-15 Emergency hook (in versions thus equipped) 9-3 Using the hook 9-4 Directional Geometry 12-7 Tools 9-1, 9-2 Vehicle identification 12-1 Function indicator 6-34 Illustrated index 2-1 Specification Lamps 9-20 High and low light 9-18 Replacement 9-18 Cleans and slices of glass Window dryer water tank 13-12 Wiper brushes 13-12 Key 6-5 Copy of the key 6-5 Recommended lubricants and liquids - inspections and modifications 12-10 Light Headlight button and headlight light 6-21 Low Light Focus 6-24 Motor Cooling liquid temperature indicator 6-3 Fuel level indicator 6-2 Anomaly indicator in the emission control system 6-2 Battery Charging Indicator 6-3 High Light/Flash indicator 6-2 D E F G H I L section_01.fm Page 2 Tuesday, March 26, 2013 8:42 AM 10. ALPHABETIC INDEX Corsa, 01/13 1-SECTION 1 Motor oil pressure indicator 6-3 Parking brake indicator and low fluid level in the hydraulic braking system 6-3 Signal indicators 6-2 Airbag indicator lights (if equipped) 9-21 Driver's warning light (if equipped) 6-4 Abs indicator lights (ABS) (if equipped) 6-4 Interior ceiling lamp 6-24 Alarms 6-25 Turn Signaller 6-25 Indicator and lighting lights - application 9-20 Fire extinguisher (if equipped) 9-21 Triple Function Digital Module 6-34 Motor Oil Change 13-1 Hood 9-6 Technical data 12-3 Services in the electric part 9-10, 13-1 Engine ignition and start-up system 6-13 Overheating 9-7 Motor Fan 9-9 Tires Technical Data 12-8 State Inspection 13-10 Tyre pressure inspection 13-10 Tyre Exchange 13-11 Replacement of tyres 9-1, 13-11 Partial Odometer/Clock 6-1 Total Odometer 6-1 Optional accessories 12-4 marches forward 6-27 Safety triangle (if equipped) 9-1 Speedometer 6-1 Ventilation 6-29 Motor Fan 9-9 Door/glass 6-18 Hand-operated glass lifts 6-18 Electric elevators (Vehicles equipped with electric elevators on all doors) (if equipped) 6-18 Electrically operated elevators (Vehicles equipped with electric elevators only on the front doors) (if equipped) 10-2 Environmental protection 6-8 Remotely reprogrammed battery 6-8 Remote Reprogramming 6-9 Unlock/unlock with key (with remote control) (if equipped) 6-9 Lock/unlock with key (without remote control) 6-10 Child Safety Lock 6-10 Important recommendations on the air bag system (if equipped) 7-2 Network of Chevrolet Authorized Dealers and/or Workshops 3-1 Replacement of lamps cabin lighting lights 9-20 High and low light 9-18 Brake lights, rear turning signal and rear position light 9-18 Patent Light 9-19 Tires Replacement 9-1 Reles 9-17 Trailer of the vehicle 9-5 Wheels Help 9-1 Rolling 13-10 M N O P R section_01.fm Page 3 Tuesday, March 26, 2013 8:42 AM 11. ALPHABET INDEX 4 Corsa, 01/13 PARAGRAPH 1 Technical data 12-8 State Inspection 13-10 Distress Signals 6-25 Front Turn Signals 9-18 Indicator Light 6-2 Lever 6-26 Rear 9-18 Services in the electrical part 9-10, 13-1 Sound system (if equipped) 10-3 Inspection warning system 13-13 Engine start and start system 6-13 Cooling system Change of liquid 13-3 Liquid level 13-3 Motor immobiliser system (if equipped) 6-12 Three-step protection system 7-1 Child Storage System 7-8 Ventilation system and air conditioning 6-27 The air conditioner 6-31 Adjustment of air diffusers 6-28 Heating 6-30 Unpacking Glasses 6-30 Window Defogger Air outlet diffusers 6-27 Airflow Distribution 6-28 Outdoor Air Inlet 6-27 Maintenance of the air conditioner 6-34 Indoor Air Recirculation 6-29 Air outlet for defog glass 6-29 Ventilation 6-29 Technical data for the electrical system 12-3 Flexpower system (alcohol and gasoline - if equipped) 13-5 Motor Overheating with Steam Formation 9-9 No steam formation 9-8 Suggestions 5-1 Dashboard 6-1 Lighting 6-24 Tachometer (encrypted account) 6-1 Fuel Tank 13-4 Filling 13-4 Gasoline vehicles 13-4 INFOCARD 3-3 12V connector for accessories (if equipped) 10-2 Child Safety Lock 6-10 Door lock 6-5 Manual Gearbox 6-25 Technical data 12-4 marches forward 6-26 Reverse 6-27 Safety triangle (if equipped) 9-1 Speedometer 6-1 Ventilation 6-29 Motor Fan 9-9 Door/glass 6-18 Hand-operated glass lifts 6-18 Network and/or Au-Torized Workshops • Chevrolet Road Service • INFOCARD Network of Chevrolet Dealers and/or Authorized Workshops It's important, that you know that if your vehicle has an anomaly, you can take it to any Chevrolet Dealer and/or Authorized Workshop for repair, within or outside the warranty period, where it will be operated by highly trained professionals. If you need further clarification, search the service manager. This vehicle has been developed prior to, among other aspects, the safety of those on board. Because of this, chemical sealant mixture screws are used for assembly line assembly, which, if removed, must be replaced by genuine new screws with the same part number. In addition, proper cleaning of the counter part is also necessary to achieve perfect torque and also an effective physical chemical reaction of the chemical compounds that are part of the above compound for chemical treatment when a new screw was used. Therefore, we recommend that you service in vehicle safety systems (brakes, seats, suspension, seat belts, etc.), or even services that indirectly affect such systems, always performed by the Chevrolet Dealer Network and/or authorized repairs. For further clarification, contact Chevrolet Dealer and/or Authorized Workshop of your choice. Fare section_03.fm Page 1 Tuesday, March 26, 2013 8:44 AM 17. SERVICES AND FACILITIES 3 Corsa, 01/13 SECTION 3 When the new vehicle is delivered to you, you will receive INFOCARD, which helps you identify your vehicle codes (chassis, alarm, immobiliser, key and radio). For further clarification, please read the Program General Condition Guide, which is inserted into the general information envelope provided to the owner Chevrolet. INFOCARD INFOCARD is a card that pre-sets a counter-sign offered with the vehicle and contains the following if service is required: • Vehicle identification number (VIN) • Safety • Immobilisers • Key • Radio Check the INFO CARD out of the vehicle. section_03.fm Page 2 Tuesday, March 26, 2013 8:44 AM 18. Optatives and Corsa ACCESSORIES, 01/13 4-SECTION 4 To meet the requirements for comfort and customization of the vehicle, General Motors develops and offers genuine factory optional equipment and approved accessories for installation in The Chevrolet councillors and/or authorized workshops. This guide is published on the date indicated on the cover and contains information based on a fully equipped vehicle with optional and dis-wearable accessories on this date. Therefore, there may be some discrepancy between the information in this manual and the con-figuration of the vehicle with respect to optional and accessories, or also, you may not find in your vehicle some components mentioned in this manual. In the event of inconsistencies between the identified components and the content of this manual, we inform them that all grantees have Ma-nual de Ventas with information, illustrations and specifications that were in force at the time of vehicle production and that they are available for consultation with the aim of clarifying any doubts. The invoice issued by the dealer identifies the components, electives and accessories originally installed in your vehicle. This invoice, together with the sales manual mentioned in the previous section, will be the documents contained in the warranty offered by General Motors de Argentina S.R.L. For processed products. General Motors de Argentina S.R.L., reserves the right to make changes to its products at any time to better meet consumer needs and expectations. Due to the electronic system technology that equips your vehicle, you do not need to be driven. We recommend that you contact a Chevrolet dealer and/or authorized workshop immediately. Do not drive for an extended period of time with this light on so as not to damage the catalyst or increase fuel consumption. Look for a Chevrolet Dealer and/or authorized workshop for inspection and repair. Petrol vehicles: If the Z indicator light is switched on at short intervals and switched off (when the vehicle is in motion), this is a normal situation that should not be a cause for concern. Flexpower vehicles (if equipped): If Z lights are periodically switched on with the engine running, it means that there is combustion defects in the engine; this may damage the catalyst. Look for a Chevrolet dealer and/or authorized repair shop as early as possible for the fault to be inspected and repaired. YIndicator of fuel level Y-light should be switched on when the ignition is connected, and then turn off. In case this does not happen, look for a Chevrolet dealer and/or authorized repair shop. Do not place the fuel tank with the lighting connected. If this occurs, the indicator the actual fuel level shall not show the actual fuel level for about 10 minutes. Then the arrow on the y6 icon near the fuel level indicator points to the side of the fuel filling nozzle. O Turn the signal indicator light If this light is on parades with frequency greater than normal, this indicates that one of the lamps has burned. P High light/flasher Z The anomaly indicator system Indicator light The Zee light must be switched on when the ignition is connected and then switched off. If this does not happen, the indicator may be damaged. Look for a Chevrolet councillor and/or authorized Workshop to perform the repair. section_06.fm Page 2 Tuesday, March 26, 2013 8:46 AM 24. CORSA CONTROLS AND CONTROLS, 01/13 6-SECTION 6 Always be aware of this indicator, as excess heat is one of the most dangerous factors for the vehicle engine to function properly. Needle in left area: the engine did not reach the ideal operating temperature (cold). Needle in the intermediate range: The engine has already reached the relevant operating temperature (normal). Needle in the red area: high temperature (overheating). Stop the engine, check the coolant level (see Overheating of the engine in section 9). If the light is on while the engine is running, this means that the battery charging system is failing. Look for a Chevrolet Concession and/or Authorized Workshop for Inspection and Repair. When the engine is heated and the vehicle is idling, the light can be emitted and switched off when the engine rotation is increased. W Motor cooling fluid temperature indicator As long as the engine does not reach normal operating temperature, avoid increasing engine rotation with sharp accelerations. A Parking Brake Indicator Light and Low Liquid Level of the Hydraulic Braking System If the R-light does not turn off with the engine running and the parking brake unappealed, drive the vehicle carefully to a nearest Chevrolet Dealer and/or Authorized Workshop. Under this condition, it may be necessary to press the brake pedal harder than under normal conditions, and the braking distance will also be longer. Avoid taking unnecessary risks in these situations and if the efficiency of the braking system has been reduced, park the vehicle and contact the Chevrolet Road Service. P The battery charging indicator P-light must be switched on when the ignition is connected and switched off after the engine starts up. If this light is not switched on, the lamp may be burned. Look for a Chevrolet Dealer and/or Authorized Workshop for necessary repairs. Hazard I Pressure Indicator Light Engine oil Light I need to turn on when the ignition is plugged in and off when the engine is started. If the light does not turn on, the lamp is probably burnt. Look for a Chevrolet Dealer and/or Authorized Workshop for necessary repairs. In the event that the light is switched on while the vehicle is running, parked immediately and the hazard I is not factored in, a stop of the lubrication system may have occurred. This may cause

